

Price List 2016

www.miscea.com



miscea Price List 2016

miscea Price List Guarantee

Prices are effective as of 1 January 2016 and valid until 31 December 2016. All previous versions of the price list are therefore considered ineffective. All delivery services are not included in product prices and are indicated separately.

All prices are ex works and excluding VAT.

We reserve the right to adjust our prices to any other changes beyond our reasonable control, e.g. major currency fluctuations. Although we do try to ensure that all information in this price list is correct at the time of printing, we apologize for any alteration to products or the range that may be made during its life. miscea also reserves the right to correct price errors or misprints.

miscea General Disclaimer

Every reasonable effort will be made to ensure that all featured merchandise is available, but interruption in supply may occur. miscea also reserves the right to vary specifications and design or use alternative materials or products as may be deemed necessary at any time. (Changes or variation not to affect quality or performance).

Catalogue prices are valid for the life of the price list or brochure, as stated on the inside cover. While great care has been taken to ensure accuracy of all prices and descriptions, miscea reserves the right to correct errors or misprints, customs duty or other statutory charges that are out of our control.

Contents

Product	Page	Price €
---------	------	---------

miscea CLASSIC

For Pouch:

CLASSIC Standard Stainless Steel	04	1.095,00
CLASSIC Standard Polished Chrome	06	1.095,00
CLASSIC Small	08	1.095,00
CLASSIC Wall	10	1.095,00

For Bottle:

CLASSIC Standard Stainless Steel	05	1.195,00
CLASSIC Standard Polished Chrome	07	1.195,00
CLASSIC Small	09	1.195,00
CLASSIC Wall	11	1.195,00

miscea LIGHT

Water Only System:

LIGHT Standard	12	450,00
LIGHT Wall	13	450,00

Water + Soap System

LIGHT Standard	14	750,00
LIGHT Wall	15	750,00

Water + Disinfectant System:

LIGHT Standard	16	750,00
LIGHT Wall	17	750,00

miscea KITCHEN

For Pouch:

KITCHEN without flow regulator	18	1.150,00
KITCHEN with flow regulator	18	1.250,00

For Bottle:

KITCHEN without flow regulator	19	1.250,00
KITCHEN with flow regulator	19	1.350,00

Product	Page	Price €
---------	------	---------

Accessories

miscea Water Flow Regulator	20	100,00
miscea Remote Control Gen 3	20	89,00
TMV Grohtherm Micro	21	149,00
Aerator Set Caché, CLASSIC/LIGHT	22	30,00
Aerator Set Caché, KITCHEN	22	30,00
miscea System Care Set	22	130,00

Refill Products

miscea Septasol Hand Disinfectant	23	65,00 / 78,00
miscea Ethades Hand Disinfectant	23	65,00 / 78,00
miscea Eco Soap	23	54,00 / 67,00

miscea TubeCleanse	24	19,00 / 18,00
CitroenFresh Detergent	24	24,00

System Components

miscea Soapbox Pouch	25	299,00
miscea Soapbox Bottle	25	349,00
miscea Waterbox	26	449,00

Mitsubishi Jet Towel Hand Dryer

White	27	925,00
Dark Grey	27	950,00
Silver	27	975,00
Jet Towel Mini	27	750,00
Stand for Jet Towel™ Hand Dryer	28	199,00

Contact

miscea Contact Information	29	
----------------------------	----	--



Product **miscea CLASSIC STANDARD For Pouch**

Description Touch free, electronically controlled water faucet with integrated soap and disinfectant dispensers. New conical shape.

Mount Deck
 Soapbox Type miscea Soapbox Pouch (Details on pg. 25)

Specifications
 Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour
 Language display
 Article no.




Stainless Steel

English
CER1S1NCEN

French
CER1S1NCFR

German
CER1S1NCDE

Price € 1.095,00



Unit: mm

- Features
- Standard miscea **CLASSIC** faucet **in new conical shape** - Electronic faucet with 3 selectable fluid options
 - Faucet user interface made of high quality laser engraved glass
 - LED display for temperature feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - Activation of '+' and '-' sectors at the same time to start Bucket-Fill mode function

- Scope of delivery
- Standard miscea **CLASSIC** faucet **in new conical shape**
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with pouch refills
 - 1L x miscea Disinfectant
 - 1L x miscea Handwash soap
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual



Product **miscia CLASSIC STANDARD For Bottle**

Description Touch free, electronically controlled water faucet with integrated soap and disinfectant dispensers. New conical shape.

Mount Deck
 Soapbox Type miscia Soapbox Bottle (Details on pg. 25)


Specifications
 Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour
 Language display
 Article no.



Stainless Steel
English
CER1S2NCEN
French
CER1S2NCFR
German
CER1S2NCDE

Price € **1.195,00**



Unit: mm

- Features
- Standard miscia **CLASSIC** faucet **in new conical shape** - Electronic faucet with 3 selectable fluid options
 - Faucet user interface made of high quality laser engraved glass
 - LED display for temperature feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscia remote control (sold separately).
 - Touch free water temperature controls
 - Activation of '+' and '-' sectors at the same time to start Bucket-Fill mode function

- Scope of delivery
- Standard miscia **CLASSIC** faucet **in new conical shape**
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with bottle refills
 - 1L x miscia Disinfectant
 - 1L x miscia Handwash soap
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual



Product **miscea CLASSIC STANDARD For Pouch**

Description Touch free, electronically controlled water faucet with integrated soap and disinfectant dispensers.

Mount Deck
 Soapbox Type miscea Soapbox Pouch (Details on pg. 25)

Specifications
 Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour
 Language display
 Article no.




Polished Chrome

English
CCR1S1NCEN

French
CCR1S1NCFR

German
CCR1S1NCDE

Price € 1.095,00



Unit: mm

- Features
- Standard miscea **CLASSIC** faucet - Electronic faucet with 3 selectable fluid options
 - Faucet user interface made of high quality laser engraved glass
 - LED display for temperature feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - Activation of '+' and '-' sectors at the same time to start Bucket-Fill mode function

- Scope of delivery
- Standard miscea **CLASSIC** faucet
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with pouch refills
 - 1L x miscea Disinfectant
 - 1L x miscea Handwash soap
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual



Product **miscea CLASSIC STANDARD For Bottle**

Description Touch free, electronically controlled water faucet with integrated soap and disinfectant dispensers.


Mount Deck
 Soapbox Type miscea Soapbox Bottle (Details on pg. 25)

Specifications
 Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour
 Language display
 Article no.


 Polished Chrome
English
CCR1S2NCEN
French
CCR1S2NCFR
German
CCR1S2NCDE

Price € **1.195,00**



Unit: mm

- Features
- Standard miscea **CLASSIC** faucet - Electronic faucet with 3 selectable fluid options
 - Faucet user interface made of high quality laser engraved glass
 - LED display for temperature feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - Activation of '+' and '-' sectors at the same time to start Bucket-Fill mode function

- Scope of delivery
- Standard miscea **CLASSIC** faucet
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with bottle refills
 - 1L x miscea Disinfectant
 - 1L x miscea Handwash soap
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual



Product **miscea CLASSIC SMALL For Pouch**



Description Touch free, electronically controlled water faucet with integrated soap and disinfectant dispensers.


Mount Deck

Soapbox Type miscea Soapbox Pouch (Details on pg. 25)

Specifications

Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

		
Colour	Polished Chrome	Stainless Steel
Language display	English	English
Article no.	CCR2S1NCEN	CER2S1NCEN
	French	French
	CCR2S1NCFR	CER2S1NCFR
	German	German
	CCR2S1NCDE	CER2S1NCDE
Price €	1.095,00	1.095,00



Unit: mm

- Features
- Small miscea **CLASSIC** faucet - Electronic faucet with 3 selectable fluid options
 - Faucet user interface made of high quality laser engraved glass
 - LED display for temperature feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - Activation of '+' and '-' sectors at the same time to start Bucket-Fill mode function

- Scope of delivery
- Small miscea **CLASSIC** faucet
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with pouch refills
 - 1L x miscea Disinfectant
 - 1L x miscea Handwash soap
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual




Product **miscea CLASSIC SMALL For Bottle**

Description Touch free, electronically controlled water faucet with integrated soap and disinfectant dispensers.

Mount Deck
 Soapbox Type miscea Soapbox Bottle (Details on pg. 25)

Specifications
 Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

		
Colour	Polished Chrome	Stainless Steel
Language display	English	English
Article no.	CCR2S2NCEN	CER2S2NCEN
	French	French
	CCR2S2NCFR	CER2S2NCFR
	German	German
	CCR2S2NCDE	CER2S2NCDE
Price €	1.195,00	1.195,00



Unit: mm

- Features
- Small miscea **CLASSIC** faucet - Electronic faucet with 3 selectable fluid options
 - Faucet user interface made of high quality laser engraved glass
 - LED display for temperature feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - Activation of '+' and '-' sectors at the same time to start Bucket-Fill mode function

- Scope of delivery
- Small miscea **CLASSIC** faucet
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with bottle refills
 - 1L x miscea Disinfectant
 - 1L x miscea Handwash soap
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual




Product **miscea CLASSIC WALL For Pouch**

Description Touch free, electronically controlled water faucet with integrated soap and disinfectant dispensers.

Mount Wall
 Soapbox Type miscea Soapbox Pouch (Details on pg. 25)

Specifications
 Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

		
Colour	Polished Chrome	Stainless Steel
Language display	English	English
Article no.	CCR3S1NCEN	CER3S1NCEN
	French	French
	CCR3S1NCFR	CER3S1NCFR
	German	German
	CCR3S1NCDE	CER3S1NCDE
Price €	1.095,00	1.095,00



Unit: mm

- Features
- Wall miscea **CLASSIC** faucet - Electronic faucet with 3 selectable fluid options
 - Faucet user interface made of high quality laser engraved glass
 - LED display for temperature feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - Activation of '+' and '-' sectors at the same time to start Bucket-Fill mode function

- Scope of delivery
- Wall miscea **CLASSIC** faucet
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with pouch refills
 - 1L x miscea Disinfectant
 - 1L x miscea Handwash soap
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual




Product **miscea CLASSIC WALL For Bottle**

Description Touch free, electronically controlled water faucet with integrated soap and disinfectant dispensers.

Mount Wall
 Soapbox Type miscea Soapbox Bottle (details on pg. 25)

Specifications
 Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour	 Polished Chrome	 Stainless Steel
Language display	English	English
Article no.	CCR3S2NCEN	CER3S2NCEN
	French	French
	CCR3S2NCFR	CER3S2NCFR
	German	German
	CCR3S2NCDE	CER3S2NCDE
Price €	1.195,00	1.195,00



Unit: mm

- Features
- Wall miscea **CLASSIC** faucet - Electronic faucet with 3 selectable fluid options
 - Faucet user interface made of high quality laser engraved glass
 - LED display for temperature feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - Activation of '+' and '-' sectors at the same time to start Bucket-Fill mode function

- Scope of delivery
- Wall miscea **CLASSIC** faucet
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with bottle refills
 - 1L x miscea Disinfectant
 - 1L x miscea Handwash soap
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual



Product **miscea LIGHT STANDARD**

Description Touch free, electronically controlled water faucet.

Mount Deck
 Soapbox Type No Soapbox

Specifications

Voltage 12 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour



AC power plug
 Article no.


US
LCR150NB

EU
LCR150NC

Price €

450,00

450,00



Unit: mm

- Features
- Standard miscea **LIGHT** faucet
 - Electronic faucet with water option only.
 - User interface made of durable Makrolon (UI)
 - Pulsing LED light on faucet indicates system is ready for use
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Electronics and solenoid valve designed into faucet
 - Waterbox not required due to compact design

- Scope of delivery
- Standard miscea **LIGHT** faucet for water only
 - 1 x 84 cm stainless steel braided hose for water connection
 - Installation kit
 - Instruction manual

miscea LIGHT




Product **miscea LIGHT WALL**


Description Touch free, electronically controlled water faucet.

Mount Wall
 Soapbox Type No Soapbox

Specifications
 Voltage 12 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

LIGHT

Colour	 Polished Chrome	
AC power plug Article no.	US LCR3S0NB	EU LCR3S0NC
Price €	450,00	450,00



- Features
- Wall mount miscea **LIGHT** faucet Electronic faucet with water option only.
 - User interface made of durable Makrolon (UI)
 - Pulsing LED light on faucet indicates system is ready for use
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Electronics and solenoid valve designed into faucet
 - Waterbox not required due to compact design

- Scope of delivery
- Wall mount miscea **LIGHT** faucet for water only
 - 1 x 84 cm stainless steel braided hose for water connection
 - Installation kit
 - Instruction manual

Unit: mm





Product **miscea LIGHT STANDARD for Pouch (Soap)**

Description Touch free, electronically controlled water faucet with integrated soap dispenser.

Mount Deck
 Soapbox Type miscea Soapbox Pouch (Details on pg. 25)

Specifications
 Voltage 12 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour	 Polished Chrome	
Language display	English	English
AC power plug	US	EU
Article no.	LCR1S1-1NBEN	LCR1S1-1NCEN
		German
		EU
		LCR1S1-1NCDE
Price €	750,00	750,00



Unit: mm

- Features
- Standard miscea **LIGHT** faucet with integrated soap dispenser - Electronic faucet with water and soap option.
 - User interface made of durable Makrolon (UI)
 - Pulsing LED light on faucet indicates system is ready for use
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Electronics and solenoid valve designed into faucet
 - Waterbox not required due to compact design

- Scope of delivery
- Standard miscea **LIGHT** faucet with water and soap dispenser
 - Soapbox component for use with pouch refills
 - System must be used with 2 pouches
 - 2 x 1L miscea Handwash soap
 - 1 x 84 cm stainless steel braided hose for water connection
 - Installation kit
 - Instruction manual



Product **miscia LIGHT WALL for Pouch (Soap)**


Description Touch free, electronically controlled water faucet with integrated soap dispenser.

Mount Wall
 Soapbox Type miscia Soapbox Pouch (Details on pg. 25)

Specifications
 Voltage 12 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour	 Polished Chrome	
Language display	English	English
AC power plug	US	EU
Article no.	LCR3S1-1NBEN	LCR3S1-1NCEN
		German
		EU
		LCR3S1-1NCDE
Price €	750,00	750,00

LIGHT



Unit: mm

- Features
- Standard miscia **LIGHT** faucet with integrated soap dispenser - Electronic faucet with water and soap option.
 - User interface made of durable Makrolon (UI)
 - Pulsing LED light on faucet indicates system is ready for use
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscia remote control (sold separately).
 - Electronics and solenoid valve designed into faucet
 - Waterbox not required due to compact design

- Scope of delivery
- Standard miscia **LIGHT** faucet with water and soap dispenser
 - Soapbox component for use with pouch refills
 - System must be used with 2 pouches
 - 2 x 1L miscia Handwash soap
 - 1 x 84 cm stainless steel braided hose for water connection
 - Installation kit
 - Instruction manual



Product **miscea LIGHT STANDARD
For Pouch (Disinfect)**

Description Touch free, electronically controlled water faucet with integrated disinfectant dispenser.

Mount Deck

Soapbox Type miscea Soapbox Pouch (Details on pg. 25)

Specifications

Voltage 12 V_{DC}

Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz

Operating pressure 0,5 - 8 bar

Max. water temp 70 °C

IP rating of PCB IP 55

Colour

Polished Chrome

Language display

German

AC power plug


EU

Article no.

LCR1S1-2NCDE

Price €

750,00



Unit: mm

- Features
- Standard miscea **LIGHT** faucet with integrated disinfectant dispenser - Electronic faucet with water and disinfectant option.
 - User interface made of durable Makrolon (UI)
 - Pulsing LED light on faucet indicates system is ready for use
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Electronics and solenoid valve designed into faucet
 - Waterbox not required due to compact design

- Scope of delivery
- Standard miscea **LIGHT** faucet with water and disinfectant dispenser.
 - Soapbox component for use with pouch refills
 - 2 x 1L miscea Disinfectant
 - System must be used with 2 pouches
 - 1 x 84 cm stainless steel braided hose for water connection
 - Installation kit
 - Instruction manual



Product **miscea LIGHT WALL
For Pouch (Disinfect)**

Description Touch free, electronically controlled water faucet with integrated disinfectant dispenser.


Mount Wall
Soapbox Type miscea Soapbox Pouch (Details on pg. 25)

Specifications
Voltage 12 V_{DC}
Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
Operating pressure 0,5 - 8 bar
Max. water temp 70 °C
IP rating of PCB IP 55

Colour
Language display
AC power plug
Article no.


Polished Chrome
German
EU
LCR3S1-2NCDE

Price € 750,00



Unit: mm

- Features
- Wall miscea **LIGHT** faucet with integrated disinfectant dispenser - Electronic faucet with water and disinfectant option.
 - User interface made of durable Makrolon (UI)
 - Pulsing LED light on faucet indicates system is ready for use
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Electronics and solenoid valve designed into faucet
 - Waterbox not required due to compact design

- Scope of delivery
- Wall miscea **LIGHT** faucet with water and disinfectant dispenser.
 - Soapbox component for use with pouch refills
 - System must be used with 2 pouches
 - 2 x 1L miscea Disinfectant
 - 1 x 84 cm stainless steel braided hose for water connection
 - Installation kit
 - Instruction manual



Product **miscea KITCHEN**
For Pouch


Description Touch free, electronically controlled water faucet with 2 integrated liquid dispensers.

Mount Deck
Soapbox Type miscea Soapbox Pouch (Details on pg. 25)

Specifications
Voltage 24 V_{DC}
Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
Operating pressure 0,5 - 8 bar
Max. water temp 70 °C
IP rating of PCB IP 55

Colour  Polished Chrome

Water Flow Regulator	NOT INCLUDED
Article no.	KCR4S1NC0
Price €	1.150,00
Water Flow Regulator	INCLUDED
Article no.	KCR4S1NC
Price €	1.250,00



Unit: mm

- Features
- Standard miscea **KITCHEN** faucet - Electronic faucet with 3 selectable fluid options and manual water flow control
 - Faucet user interface made of high quality laser engraved glass
 - LED display for user feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - 2 rotate angles - set during installation

- Scope of delivery
- Standard miscea **KITCHEN** faucet
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with pouch refills
 - 1L miscea Handwash soap
 - 450 ml miscea CitroenFresh
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual



Product **miscea KITCHEN**
For Bottle - For use in healthcare facilities


Description Touch free, electronically controlled water faucet with 2 integrated liquid dispensers.

Mount Deck
 Soapbox Type miscea Soapbox Bottle (Details on pg. 25)

Specifications
 Voltage 24 V_{DC}
 Input voltage 100 ~ 240 V_{AC} / 50 - 60 Hz
 Operating pressure 0,5 - 8 bar
 Max. water temp 70 °C
 IP rating of PCB IP 55

Colour Polished Chrome

Water Flow Regulator	NOT INCLUDED
Article no.	KCR4S2NC0
Price €	1.250,00
Water Flow Regulator	INCLUDED
Article no.	KCR4S2NC
Price €	1.350,00




Unit: mm

- Features
- Standard miscea **KITCHEN** faucet - Electronic faucet with 3 selectable fluid options and manual water flow control
 - Faucet user interface made of high quality laser engraved glass
 - LED display for user feedback
 - Automatic flushing for prevention of waterborne bacteria. Cycles completely adjustable via the miscea remote control (sold separately).
 - Touch free water temperature controls
 - 2 rotate angles - set during installation

- Scope of delivery
- Standard miscea **KITCHEN** faucet
 - Waterbox component - houses the electronics and solenoid valve
 - Soapbox component for use with bottle refills
 - 1L miscea Handwash soap
 - 450 ml miscea CitroenFresh
 - 2 x 84 cm stainless steel braided hoses for hot and cold water connections
 - 2 pin EU power plug
 - Installation kit
 - Instruction manual

Accessories



Product **miscea Water Flow Regulator**

Description Used for regulating flow of water

Compatible with miscea **CLASSIC**
models miscea **KITCHEN**

Specifications
Weight 708 g

Colour  Polished Chrome

Article no. **S.02.040.001**

Price € 100,00

ACCESSORIES



Product **miscea Remote Control Generation 3**

Description miscea Remote Control Generation 3 allows a number of settings on miscea systems to be adjusted. Please see below the full list of functions that can be adjusted and compatible models.

Specifications
Weight 43 g
Battery type CR 2032
L x W x H 150 x 60 x 10 mm

Compatible with models


	CLASSIC	LIGHT	KITCHEN
Starting water temperature	✓		✓
Dosage amount for liquids 1 and 2	✓	✓	✓
Water shut off delay time	✓	✓	✓
Water temperature memory time	✓		✓
Duration of bucket mode	✓	✓	✓
Duration of spool cycles	✓	✓	✓
Duration between spool cycles	✓	✓	✓
Light display	✓	✓	✓
Beep tones	✓	✓	✓

Colour White with grey details

Article no. **S.02.002.001**

Price € 89,00

Accessories



Unit: mm

Product **TMV Grohtherm Micro**

Description Thermostatic mixers are designed for hot water supply via pressurised storage heater and utilised in this way provide the best temperature accuracy. With sufficient power (from 18 kW to 250 kcal/min) electric or gas instantaneous heaters are also suitable.

Safe limitation of max. outlet temperature via preset thermostats on every standard wash basin mixer (thermal scalding protection).

Thermostat mixers cannot be used in conjunction with low-pressure storage heaters (displacement water heaters).

Connection hose included.

Specifications

Min. flow pressure	1 bar
Max. operating pressure	10 bar
Recommended flow pressure	1-5 bar
Test pressure	16 bar
Flow rate at 3 bar flow pressure	approx. 20 L/min
Max water temp. at hot water inlet	80 °C
Pre-adjustment	40 °C
Min. flow rate	5 L/min

Colour
Art. Nr.


Polished Chrome
S.02.032.001

Price €

149,00

Accessories

ACCESSORIES



Product **Aerator Set Caché, CLASSIC/LIGHT**

Description Neoperl CACHÉ® aerators control the stream straightness and diameter, reduces splash by aerating the stream and eliminating side spray as well as save water and energy costs. Kit includes 5 x Cache aerators and 1 x Perlator Key.

Compatible with models miscea **CLASSIC**, miscea **LIGHT**

Article no. **S.02.015.001**

Price € **30,00**



Product **Aerator Set Caché, KITCHEN**

Description Neoperl CACHÉ® aerators control the stream straightness and diameter, reduces splash by aerating the stream and eliminating side spray as well as save water and energy costs. Kit includes 5 x Cache aerators and 1 x Perlator Key.

Compatible with models miscea **KITCHEN**

Article no. **S.02.022.001**

Price € **30,00**



Product **miscea System Care Set**

Description Includes:

- 1 x Cache aerator and Perlator Key
- 1 x miscea Remote Control (Gen 3)
- 1 x miscea Microfibre Cleaning Cloth
- 1 x packet of miscea Foam Glove
- 1 x 1L miscea Tube Cleanse Solution
- 1 x plastic container
- 1 x miscea System Care Set user manual
- 1 x miscea Remote Control user manual
- *2 x dispenser outlet cleaning brushes

* Compatible for systems produced before 2013

Supply Article no	For Bottle S.02.057.001	For Pouch S.02.056.001
-------------------	--------------------------------	-------------------------------

Price €	130,00	130,00
---------	---------------	---------------

Refill Products



Product ***miscea Septasol Disinfectant**

Description Septasol contains no preservatives or other additives which might have an irritating or sensitising effect on the skin.

**Product not available within the BENELUX*

- Features
- Dermatologically recommended for allergic persons and persons with sensitive skin
 - Free from potentially allergenic ingredients
 - Hygienic and surgical disinfection of hands
 - Extremely short exposure times

Supply	6 x 1L Bottle	6 x 1L Pouch
Article. no	S.01.044.001	S.01.043.001
Price €	65,00	78,00



Product ***miscea Ethades Disinfectant**

Description For hygienic hand disinfection in healthcare facilities, laboratories, and other hygiene sensitive environments.

**Product available within the BENELUX only*

Supply	6 x 1L Bottle	6 x 1L Pouch
Article. no	S.01.046.001	S.01.040.001
Price €	65,00	78,00



Product **miscea Eco Soap**

Description miscea Eco Soap is enriched with skin protectors and fattening agent which make miscea Eco Soap mild for the skin.

- Features
- Colour and fragrance free;
 - pH skin neutral;
 - Prevents dehydration of the skin;
 - Minimal impact on the aquatic ecosystems
 - Fulfills strict biodegradability requirements

Supply	6 x 1L Bottle	6 x 1L Pouch
Article. no	S.01.048.001	S.01.047.001
Price €	54,00	67,00

REFILL PRODUCTS

Refill Products



Product **miscea Tube Cleanse**

Description Tube Cleaning Solution. Ready to use solution for effective cleaning of tubes. TubeCleanse is alcohol free and highly biodegradable.

Supply Article. no	1 x 1L Bottle S.02.050.001	1 x 1L Pouch S.02.049.001
Price €	19,00	18,00



Product **miscea CitroenFresh Detergent**


Description A wash lotion based on selected skincare substances and gentle surfactants, with particularly good skin tolerance.

- Features
- Highly effective as a concentrate
 - Very easily biodegradable surfactants
 - Skin matched pH value
 - Easily removes fat and grease
 - Dries streak-free

Supply Article. no	6 x 450 ml Pouch S.01.010.001
Price €	24,00

REFILL PRODUCTS

System Components



Product **miscea Soapbox Pouch**

Description miscea Soapbox unit makes changing liquids quick and easy for your miscea system. Keeps your liquid products upright and clean.

Mount Wall
Liquid type Vacuum Pouches

Specifications
Cable Length 126 cm


- Features
- Lever lock system securely keeps pouches in place.
 - Quick release levers make changing pouches quick, easy and mess free.

Colour White with grey details

Available with miscea **CLASSIC** miscea **KITCHEN** miscea **LIGHT**

Article no. **B.01.200.001** **B.01.202.001**

Price € **299,00** **249,00**



Product **miscea Soapbox Bottle**

Description miscea Soapbox for Bottle unit makes changing liquids quick and easy for your miscea system. Keeps your liquid products upright and clean.

Mount Wall
Liquid type Euro Bottles

Specifications
Cable Length 113 cm

- Features
- Suitable for a wide range of liquid products.
 - Standard euro bottles easily slide into place.


Colour White with grey details

Available with miscea **CLASSIC** miscea **KITCHEN**

Article no. **B.01.201.001**

Price € **349,00**

System Components



Product **miscea Waterbox**

Description miscea Waterbox houses electronic components, the solenoid valve and other critical components of miscea systems.

Mount Wall

Specifications Please see miscea system of choice for full specifications.

Cable Length 165 cm

- Features
- LED light button for activating liquid priming mode.
 - Easy to clean material
 - Fast and easy mounting plates included

Colour White with grey details

Available with

miscea **CLASSIC**
miscea **KITCHEN**

Article no.

B.01.300.001

Price €

449,00

Mitsubishi Electric Jet Towel Hand Dryer Accessories



Product Mitsubishi Jet Towel™ Hand Dryer


Description Sensor operated high speed hand dryer - hygienically dries hands in 10 seconds.

Specifications
 Power supply 220 ~ 240 V / 50 ~ 60 Hz
 Available Modes High, Standard
 Heater Yes - On/Off setting
 Drying time 9 ~ 15 sec
 Motor type Brushless DC motor
 Safety components Thermal fuse, Thermal current breaker
 Noise level 58 ~ 61 dB
 Power cord None (Thermal block connection)
 Weight 11 kg
 Drain tank 0.8 L

- Features
- Antibacterial coating
 - Jet Towel™ Clean Filter
 - New noise suppression technology
 - Industry's lowest power consumption
 - Alcohol-resistant Resin
 - Easy for small children to use

Colour	White	Anthrazite	Silver
M.O.Q	N/A	N/A	20 units
Article no.	S.03.002.001	S.03.003.001	S.03.001.001

Unit Price € **925,00** **950,00** **975,00**



Product Mitsubishi Jet Towel™ Mini Hand Dryer


Description Sensor operated high speed hand dryer. Compact size, powerful and user friendly.

Specifications
 Power supply 220 ~ 240 V / 50 ~ 60 Hz
 Available Modes High, Standard
 Heater Yes - On/Off setting
 Drying time 13 ~ 27 sec
 Motor type Commutator motor
 Safety components Thermal fuse, Thermal current breaker
 Noise level 52 ~ 64 dB
 Power cord None (Thermal block connection)
 Weight 5 kg
 Drain tank 0.6 L

- Features
- Spacious hand-drying zone
 - Range sensor and blue LED indicator
 - Antimicrobial coating
 - Independent air-duct system
 - Comfortable low noise operation
 - Multipurpose operation modes

Article no. **S.03.006.001**

Price € **750,00**



Mitsubishi Electric Jet Towel Hand Dryer Accessories




Product **Stand for Mitsubishi Jet Towel™ Hand Dryer**

Description Stand for Jet Towel

Specifications

Dimensions 282.5 x 280.0 x 201.0 mm (H x W x D)

Colour Light grey



Article no.

S.03.004.001

Price €

199,00

Contact



HOTLINE

+ 49 33701 3553 0



POST

miscea GmbH
Hauptstraße 2
D-14979 Großbeeren
Germany



E-MAIL

berlin@miscea.com



WEBSITE

www.miscea.com



miscea GmbH
Hauptstraße 2
D-14979 Großbeeren
Germany

www.miscea.com

T: +49 33701 3553 0
F: +49 33701 3553 19
E: berlin@miscea.com



miscea GmbH
Hauptstraße 2
D-14979 Großbeeren
Germany

www.miscea.com

T: +49 33701 3553 0
F: +49 33701 3553 19
E: berlin@miscea.com

